




EXIT CONTROL LOCKS

ACCESSORIES for ECL-230X SERIES

Detex makes a number of accessories available that allow the Exit Control Locks to be used in a wide range of applications. Below is a listing and description of these items.

	<u>Item Number</u>	<u>Description and Use</u>
 <p>RC</p> <p>BG</p>	<p>RC (105771-X)</p> <p>BG (103562)</p> <p>RC-BG (105771-X)</p>	<p><u>Rod Covers</u> Protects rods in high use, high abuse applications. Used with ECL-230X-TB, TD & TDB.</p> <p><u>Bottom Bolt Guard</u> Protects bottom bolt in high use, high abuse applications. Used with ECL-230X-TB & TDB.</p> <p><u>Rod Covers & Bottom Bolt Guard</u> Protects rods & bottom bolt in high use, high abuse applications. Used with ECL-230X-TB & TDB.</p>

 <p>DX1 shown</p>	<p>DX1</p> <p>DX2</p> <p>DX3</p>	<p><u>One hinge side lock</u> One hinge side locking point, keeps door secure even if hinge knuckles are removed. Used when higher level of security is required.</p> <p><u>Two hinge side locks</u> Two hinge side locking points, keeps door secure even if hinge knuckles are removed. Used when higher level of security is required.</p> <p><u>Three hinge side locks</u> Three hinge side locking points, keeps door secure even if hinge knuckles are removed. Used when higher level of security is required.</p>


	<p>IP</p>	<p><u>Inside Pull</u> Provides grip handle on inside of door, assists in pulling door closed and locking door</p>

EXIT CONTROL LOCKS CONT'D

ACCESSORIES for ECL-230X SERIES

Item Number


Description and Use



DDSK

Double Door Strike Bracket Kit


Mounts on inactive leaf. Typically used in conjunction with flush bolts or similar products in double door applications.



DDH-2250

Double Door Holder


Mounts on inactive leaf. Typically used on pairs of doors. Locks inactive leaf, when active leaf closes, operates similar to automatic flush bolts.



105059-X

Cover Lock Kit

Provides additional protection for battery protection. Requires main operational key and cover lock key to perform maintenance, change battery.



RK

ECL-230 Retrofit Plate Kit

Useful when removing an ECL-230D and installing an ECL-230X



102638

Rim Cylinder Plate


03 function cylinder trim plate used on gates

EXIT CONTROL LOCKS CONT'D

ACCESSORIES for ECL-230X SERIES

Item Number

Description and Use




SN1

SN1
(101616-X)

Sex Nuts

Recommended for high use, high abuse applications




TMP1

TMP1

Through Bolt Mounting Plate Kit

Recommended for high use, high abuse applications. Kit is standard with two plates and four 1/4-20 sex bolts.



BE-961-1 shown

BE-961-1

Battery Eliminator

120VAC to 9VDC - includes 10' flex conduit (includes 120VAC to 12VAC transformer)

BE-961-2

Battery Eliminator

120VAC to 9VDC - includes 10' flex conduit with supervisory loop power, alarm and LED (includes 120VAC to 12VAC transformer)

BE-961-5

Battery Eliminator

12VAC to 9VDC - does not include transformer or flex conduit

BE-961-6

Battery Eliminator

24VAC to 9VDC - does not include transformer or flex conduit


EXIT CONTROL LOCKS CONT'D

ACCESSORIES for ECL-230X SERIES

Description and Use



01T



01PP

Trim Plate (01T)

Does not include outside key control. Typically used to cover exterior holes on pull side of door. Sex nuts included.

Trim Pull Plate (01PP)

Does not include outside key control. Typically used to pull door open while door is unlocked. Sex nuts included.



03T




03PP

Trim Pull Plate (03T)

Requires rim cylinder, provides outside key control. Pull provided by others, supplied separately. Sex nuts included.

Trim Pull Plate (03PP)

Requires rim cylinder, provides outside key control. Typically used to pull door open while door is unlocked. Sex nuts included.



Gate Plate Kit (GTPL230X)

Adjustable gate plate fits gates 32" - 52" wide. Fits square or round gate frames. Comes with holes for mounting ECL-230X. Kit includes Gate Plate, Gate Latch Protector, and Strike Latch Receiver Bracket.



Cylinder Trim (03GS)

Optional 03 function cylinder trim used on gates (Rim cylinder sold separately)

Where Trust is Built™
DETEx®
Life Safety, Security and Security Assurance

Detex Corporation
302 Detex Drive
New Braunfels, Texas 78130-3045 USA
PH. (830) 629-2900
(800) 729-3839
FAX (800) 653-3839
<http://www.detex.com>
USA Sales:
marketing@detex.com
International Sales:
export@detex.com

Cancer & Reproductive Harm - www.detex.com/prop65